



1-conductor end module; codable; can be commoned with miniature adjacent jumpers; 1-pole

Item No.: 769-503/000-006



1-conductor end module; codable; can be commoned with miniature adjacent jumpers; 1-pole

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	769-503/000-006
GTIN / EAN	4045454217372
Content	1
Order amount	250
Customer item number	

Notes

Item description: According to EN 61984, pluggable connectors without current interrupting capacity shall not be mated and unmated when live or under load.


Technical data

Miscellaneous

Connection technology	CAGE CLAMP®
Actuation type	Operating tool
Connectable conductor materials	Copper
Nominal cross section	4 mm ²

Technical data	
<i>Solid conductor</i>	<i>0.08 ... 4 mm² / 28 ... 12 AWG</i>
<i>Fine-stranded conductor</i>	<i>0.08 ... 4 mm² / 28 ... 12 AWG</i>
<i>Strip length</i>	<i>8 ... 9 mm / 0.31 ... 0.35 Inch</i>
<i>No. of poles</i>	<i>1</i>
<i>Total number of connection points</i>	<i>1</i>
<i>Total number of potentials</i>	<i>1</i>
<i>Type of wiring</i>	<i>Front-entry wiring</i>
<i>Width</i>	<i>5 mm / 0.197 in</i>
<i>Height</i>	<i>45.2 mm / 1.78 in</i>
<i>Depth</i>	<i>18.3 mm / 0.72 in</i>
<i>Marking level</i>	<i>Side marking</i>
<i>Contact type (pluggable connector)</i>	<i>Female connector/socket</i>
<i>Connector connection type</i>	<i>for conductors</i>
<i>Color</i>	<i>blue</i>
<i>Insulating material</i>	<i>Polyamide 66 (PA 66)</i>
<i>Fire load [MJ]</i>	<i>0.049 [MJ]</i>
<i>Weight [g]</i>	<i>3.021 [g]</i>
<i>[mm]</i>	<i>5 [mm]</i>
<i>Product Family</i>	<i>X-COM</i>
<i>Main product function</i>	<i>Female connector/socket</i>
<i>Product type</i>	<i>Pluggable rail-mount terminal blocks</i>

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.