



1-conductor center module; codable; can be commoned with miniature adjacent jumpers; 1-pole

Item No.: 769-502/000-006



1-conductor center module; codable; can be commoned with miniature adjacent jumpers; 1-pole

Business data

Supplier	WAGO
Item no.	769-502/000-006
GTIN / EAN	4045454217358
Content	1
Order amount	250
Customer item number	

Notes

Item description: According to EN 61984, pluggable connectors without current interrupting capacity shall not be mated and unmated when live or under load.

Technical data


Miscellaneous

No. of poles	1
Total number of connection points	1
Total number of potentials	1
Color	blue
Ratings per	IEC/EN 61984
Rated voltage (III / 3) [V]	500 [V]
Rated impulse voltage (III / 3) [kV]	6 [kV]

Technical data	
<i>Rated current [A]</i>	<i>32 [A]</i>
<i>Connection technology</i>	<i>CAGE CLAMP®</i>
<i>Number of connection points connector</i>	<i>1</i>
<i>Actuation type</i>	<i>Operating tool</i>
<i>Connectable conductor materials</i>	<i>Copper</i>
<i>Nominal cross section</i>	<i>4 mm²</i>
<i>Solid conductor</i>	<i>0.08 ... 4 mm² / 28 ... 12 AWG</i>
<i>Fine-stranded conductor</i>	<i>0.08 ... 4 mm² / 28 ... 12 AWG</i>
<i>Strip length</i>	<i>8 ... 9 mm / 0.31 ... 0.35 Inch</i>
<i>Type of wiring</i>	<i>Front-entry wiring</i>
<i>Marking level</i>	<i>Side marking</i>
<i>Insulating material</i>	<i>Polyamide 66 (PA 66)</i>
<i>Weight [g]</i>	<i>3.2 [g]</i>
<i>Width</i>	<i>5 mm / 0.197 Inch</i>
<i>Height</i>	<i>45.2 mm / 1.78 Inch</i>
<i>Depth</i>	<i>18.3 mm / 0.72 Inch</i>

Printview: 1-conductor center module; codable; can be commoned with miniature adjacent jumpers; 1-pole
- Item No.: 769-502/000-006

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.